

**MELK Rabbit mAb**  
**Catalog # AP76587****Specification**

---

**MELK Rabbit mAb - Product Information**

Application	WB
Primary Accession	<a href="#">Q14680</a>
Reactivity	Human, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	74642

**MELK Rabbit mAb - Additional Information****Gene ID** 9833**Other Names**  
MELK**Dilution**  
WB~~1/500-1/1000**Format**  
Liquid**MELK Rabbit mAb - Protein Information****Name** MELK**Synonyms** KIAA0175**Function**

Serine/threonine-protein kinase involved in various processes such as cell cycle regulation, self-renewal of stem cells, apoptosis and splicing regulation. Has a broad substrate specificity; phosphorylates BCL2L14, CDC25B, MAP3K5/ASK1 and ZNF622. Acts as an activator of apoptosis by phosphorylating and activating MAP3K5/ASK1. Acts as a regulator of cell cycle, notably by mediating phosphorylation of CDC25B, promoting localization of CDC25B to the centrosome and the spindle poles during mitosis. Plays a key role in cell proliferation and carcinogenesis. Required for proliferation of embryonic and postnatal multipotent neural progenitors. Phosphorylates and inhibits BCL2L14, possibly leading to affect mammary carcinogenesis by mediating inhibition of the pro-apoptotic function of BCL2L14. Also involved in the inhibition of spliceosome assembly during mitosis by phosphorylating ZNF622, thereby contributing to its redirection to the nucleus. May also play a role in primitive hematopoiesis.

**Cellular Location**

Cell membrane; Peripheral membrane protein

**Tissue Location**

Expressed in placenta, kidney, thymus, testis, ovary and intestine.

### MELK Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### MELK Rabbit mAb - Images

