

Nucleolin Rabbit mAb

Catalog # AP76626

Specification

Nucleolin Rabbit mAb - Product Information

Application WB, IP
Primary Accession P19338
Reactivity Human
Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 76614

Nucleolin Rabbit mAb - Additional Information

Gene ID 4691

Other Names

NCL

Dilution

WB~~1/500-1/1000

 $IP \sim \sim N/A$

Format

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Nucleolin Rabbit mAb - Protein Information

Name NCL

Function

Nucleolin is the major nucleolar protein of growing eukaryotic cells. It is found associated with intranucleolar chromatin and pre-ribosomal particles. It induces chromatin decondensation by binding to histone H1. It is thought to play a role in pre-rRNA transcription and ribosome assembly. May play a role in the process of transcriptional elongation. Binds RNA oligonucleotides with 5'-UUAGGG- 3' repeats more tightly than the telomeric single-stranded DNA 5'- TTAGGG-3' repeats.

Cellular Location

Nucleus, nucleolus. Cytoplasm. Note=Localized in cytoplasmic mRNP granules containing untranslated mRNAs

Nucleolin Rabbit mAb - Protocols





Tel: 858.875.1900 Fax: 858.875.1999

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Nucleolin Rabbit mAb - Images

