

Semaphorin 7A Rabbit mAb
Catalog # AP76706**Specification**

Semaphorin 7A Rabbit mAb - Product Information

Application	WB, IHC-P, IP
Primary Accession	O75326
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	74824

Semaphorin 7A Rabbit mAb - Additional Information**Gene ID** 8482**Other Names**
SEMA7A**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A
IP~~N/A**Format**
Liquid**Semaphorin 7A Rabbit mAb - Protein Information****Name** SEMA7A**Synonyms** CD108, SEMAL**Function**

Plays an important role in integrin-mediated signaling and functions both in regulating cell migration and immune responses. Promotes formation of focal adhesion complexes, activation of the protein kinase PTK2/FAK1 and subsequent phosphorylation of MAPK1 and MAPK3. Promotes production of pro-inflammatory cytokines by monocytes and macrophages. Plays an important role in modulating inflammation and T-cell-mediated immune responses. Promotes axon growth in the embryonic olfactory bulb. Promotes attachment, spreading and dendrite outgrowth in melanocytes.

Cellular Location

Cell membrane; Lipid-anchor, GPI-anchor; Extracellular side. Note=Detected in a punctate pattern on the cell membrane of basal and supra-basal skin keratinocytes

Tissue Location

Detected in skin keratinocytes and on endothelial cells from skin blood vessels (at protein level).

Expressed in fibroblasts, keratinocytes, melanocytes, placenta, testis, ovary, spleen, brain, spinal cord, lung, heart, adrenal gland, lymph nodes, thymus, intestine and kidney.

Semaphorin 7A Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Semaphorin 7A Rabbit mAb - Images



