

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb

Catalog # AP76756

Specification

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb - Product Information

Application Primary Accession Reactivity Host Clonality

Cionality Calculated MW WB, IP, ICC P68036

Human, Mouse, Rat

Rabbit

Monoclonal Antibody

17862

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb - Additional Information

Gene ID 7332

Other Names UBE2L3

DilutionWB~~1/500-1/1000
IP~~1/20
ICC~~N/A

Format Liquid

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb - Protein Information

Name UBE2L3

Synonyms UBCE7, UBCH7

Function

Ubiquitin-conjugating enzyme E2 that specifically acts with HECT-type and RBR family E3 ubiquitin-protein ligases. Does not function with most RING-containing E3 ubiquitin-protein ligases because it lacks intrinsic E3-independent reactivity with lysine; in contrast, it has activity with the RBR family E3 enzymes, such as PRKN, RNF31 and ARIH1, that function like RING-HECT hybrids. Accepts ubiquitin from the E1 complex and catalyzes its covalent attachment to other proteins. Mediates ubiquitination by the CUL9-RBX1 complex (PubMed:38605244). In vitro catalyzes 'Lys-11'-linked polyubiquitination. Involved in the selective degradation of short-lived and abnormal proteins. Down- regulated during the S-phase it is involved in progression through the cell cycle. Regulates nuclear hormone receptors transcriptional activity. May play a role in myelopoiesis.

Cellular Location Nucleus. Cytoplasm



Tissue Location

Ubiquitous, with highest expression in testis.

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Ubiquitin Conjugating Enzyme E2 L3 Rabbit mAb - Images







