

ZYG11A Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP8676a**Specification**

ZYG11A Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	Q6WRX3
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	85808
Antigen Region	71-97

ZYG11A Antibody (N-term) - Additional Information**Gene ID** 440590**Other Names**

Protein zyg-11 homolog A, ZYG11A, ZYG11

Target/Specificity

This ZYG11A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 71-97 amino acids from the N-terminal region of human ZYG11A.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZYG11A Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZYG11A Antibody (N-term) - Protein Information**Name** ZYG11A**Synonyms** ZYG11


Function Probably acts as a target recruitment subunit in an E3 ubiquitin ligase complex ZYGA-CUL2-elongin BC.

ZYG11A Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZYG11A Antibody (N-term) - Images



Western blot analysis of ZYG11A Antibody (N-term) (Cat. #AP8676a) in MCF-7 cell line lysates (35ug/lane). ZYG11A (arrow) was detected using the purified Pab.



ZYG11A Antibody (N-term) (Cat. #AP8676a) flow cytometric analysis of MCF-7 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZYG11A Antibody (N-term) - Background

ZYG11A probably acts as target recruitment subunit in an E3 ubiquitin ligase complex
ZYGA-CUL2-elongin BC (By similarity).