

PEX11A Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP9007a

Specification

PEX11A Antibody (N-term) - Product Information

Application WB, IHC-P, FC,E

Primary Accession 075192 Other Accession O₀VCP₂ Reactivity Human Predicted **Bovine** Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 28353 Antigen Region 1-30

PEX11A Antibody (N-term) - Additional Information

Gene ID 8800

Other Names

Peroxisomal membrane protein 11A, HsPEX11p, 28 kDa peroxisomal integral membrane protein, PMP28, Peroxin-11A, Peroxisomal biogenesis factor 11A, Protein PEX11 homolog alpha, PEX11-alpha, PEX11A, PEX11

Target/Specificity

This PEX11A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PEX11A.

Dilution

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PEX11A Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

PEX11A Antibody (N-term) - Protein Information





Name PEX11A

Synonyms PEX11

Function May be involved in peroxisomal proliferation and may regulate peroxisomes division (PubMed:<u>9792670</u>). May mediate binding of coatomer proteins to the peroxisomal membrane (By similarity). Promotes membrane protrusion and elongation on the peroxisomal surface (PubMed:<u>20826455</u>).

Cellular Location


Peroxisome membrane; Multi-pass membrane protein

PEX11A Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

PEX11A Antibody (N-term) - Images




Western blot analysis of PEX11A Antibody (N-term) (Cat. #AP9007a) in MDA-MB468 cell line lysates (35ug/lane). PEX11A (arrow) was detected using the purified Pab.





Formalin-fixed and paraffin-embedded human hepatocarcinoma reacted with PEX11A Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



PEX11A Antibody (N-term) (Cat. #AP9007a) flow cytometric analysis of 293 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

PEX11A Antibody (N-term) - Background

PEX11A may be involved in peroxisomal proliferation and may regulate peroxisomes division. It may mediate binding of coatomer proteins to the peroxisomal membrane.

PEX11A Antibody (N-term) - References

Sacksteder, K.A., et.al., J. Cell Biol. 148 (5), 931-944 (2000) Shimizu, M., et.al., J. Biochem. 139 (3), 563-573 (2006)