

# **CD45 Antibody**

Rabbit mAb Catalog # AP90351

# **Specification**

# **CD45 Antibody - Product Information**

Application WB, IHC, FC
Primary Accession P08575
Clonality Monoclonal

**Other Names** 

CD45; B220; GP180; LCA; PTPRC; T200 leukocyte common antigen;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 147486 Da

#### **CD45 Antibody - Additional Information**

Dilution WB~~1:1000

IHC~~1:100~500 FC~~1:10~50

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

**CD45** 

Description Protein tyrosine-protein phosphatase

required for T-cell activation through the antigen receptor. Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates LYN,

similarity).

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

and thereby modulates LYN activity (By

freeze / thaw cycle.

#### **CD45 Antibody - Protein Information**

Name PTPRC (HGNC:9666)

**Synonyms** CD45

**Function** 



Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor (PubMed:<a href="http://www.uniprot.org/citations/35767951" target="\_blank">35767951</a>). Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates LYN, and thereby modulates LYN activity (By similarity). Interacts with CLEC10A at antigen presenting cell-T cell contact; CLEC10A on immature dendritic cells recognizes Tn antigen- carrying PTPRC/CD45 receptor on effector T cells and modulates T cell activation threshold to limit autoreactivity.

#### **Cellular Location**

Cell membrane; Single-pass type I membrane protein. Membrane raft. Synapse. Note=Colocalized with DPP4 in membrane rafts.

#### **Tissue Location**


Isoform 1: Detected in thymocytes. Isoform 2: Detected in thymocytes. Isoform 3: Detected in thymocytes. Isoform 4: Not detected in thymocytes. Isoform 5: Detected in thymocytes. Isoform 6: Not detected in thymocytes. Isoform 7: Detected in thymocytes Isoform 8: Not detected in thymocytes.

#### **CD45 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# CD45 Antibody - Images



Western blot analysis of CD45 expression in Jurkat cell lysate.