

Cathepsin B Antibody

Rabbit mAb Catalog # AP91202

Specification

Cathepsin B Antibody - Product Information

Application WB, IHC, ICC, IP

Primary Accession P07858
Clonality Monoclonal

Other Names

APPS; Cathepsin B heavy chain; Cathepsin B1; CathepsinB; CPSB; CTSB; cysteine protease;

Preprocathepsin B;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 37822 Da

Cathepsin B Antibody - Additional Information

Dilution WB~~1:1000

IHC~~1:100~500

ICC~~N/A IP~~N/A

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Cathepsin B

Description Thiol protease which is believed to

participate in intracellular degradation and

turnover of proteins. Has also been implicated in tumor invasion and

metastasis.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Cathepsin B Antibody - Protein Information

Name CTSB

Synonyms CPSB

Function

Thiol protease which is believed to participate in intracellular degradation and turnover of proteins (PubMed:12220505). Cleaves matrix extracellular phosphoglycoprotein MEPE (PubMed:12220505). Involved in the solubilization of cross-linked TG/thyroglobulin in the thyroid follicle lumen (By similarity). Has



also been implicated in tumor invasion and metastasis (PubMed:3972105).

Cellular Location

Lysosome. Melanosome. Secreted, extracellular space {ECO:0000250|UniProtKB:A1E295}. Apical cell membrane {ECO:0000250|UniProtKB:P10605}; Peripheral membrane protein {ECO:0000250|UniProtKB:P10605}; Extracellular side {ECO:0000250|UniProtKB:P10605}. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV (PubMed:17081065) Localizes to the lumen of thyroid follicles and to the apical membrane of thyroid epithelial cells (By similarity) {ECO:0000250|UniProtKB:P10605, ECO:0000269|PubMed:17081065}

Tissue Location


Expressed in the stratum spinosum of the epidermis. Weak expression is detected in the stratum granulosum

Cathepsin B Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Cathepsin B Antibody - Images



Western blot analysis of Cathepsin B expression in A375 cell lysate;.