

FNDC5 Antibody

Rabbit mAb Catalog # AP91721

Specification

FNDC5 Antibody - Product Information

Application WB
Primary Accession Q8NAU1
Reactivity Rat

Clonality Monoclonal

Other Names

FNDC 5; FRCP2; irisin;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 23659 Da

FNDC5 Antibody - Additional Information

Dilution WB~~1:1000

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

FNDC5

Description Irisin: Contrary to mouse, may not be

involved in the beneficial effects of muscular exercise, nor in the induction of

browning of human white adipose tissue.
Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

FNDC5 Antibody - Protein Information

Storage Condition and Buffer

Name FNDC5

Synonyms FRCP2

Function

[Irisin]: Mediates beneficial effects of muscular exercise. Induces browning of white adipose tissue by stimulating UCP1 expression, at least in part, via the nuclear receptor PPARA.

Cellular Location

[Fibronectin type III domain-containing protein 5]: Cell membrane; Single-pass membrane protein. Peroxisome membrane {ECO:0000250|UniProtKB:Q8K4Z2}; Single-pass membrane protein. Note=Imported into peroxisomes through the PEX5 receptor pathway. {ECO:0000250|UniProtKB:Q8K4Z2}





Tel: 858.875.1900 Fax: 858.875.1999

Tissue Location


Widely expressed, with highest levels in heart. Very low expression, if any, in colon, pancreas and spleen

FNDC5 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FNDC5 Antibody - Images



Western blot analysis of FNDC5 expression in Rat muscle cell lysate.