

Calsequestrin 1 Antibody
Rabbit mAb
Catalog # AP91791**Specification**

Calsequestrin 1 Antibody - Product Information

Application	WB, IHC, FC
Primary Accession	P31415
Reactivity	Rat
Clonality	Monoclonal
Other Names	
Calmitin; Calmitine; Calsequestrin; Calsequestrin-1; CASQ; Casq1; PDIB1;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	45160 Da

Calsequestrin 1 Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500 FC~~1:10~50
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human Calsequestrin 1
Description	Calsequestrin is a high-capacity, moderate affinity, calcium-binding protein and thus acts as an internal calcium store in muscle. The release of calcium bound to calsequestrin through a calcium release channel triggers muscle contraction. Binds 40 to 50 moles of calcium. Also binds laminin.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Calsequestrin 1 Antibody - Protein Information**Name** CASQ1**Synonyms** CASQ**Function**

Calsequestrin is a high-capacity, moderate affinity, calcium- binding protein and thus acts as an internal calcium store in muscle (PubMed:28895244). Calcium ions are bound by clusters of acidic residues at the

protein surface, often at the interface between subunits. Can bind around 80 Ca^{2+} ions (PubMed:28895244). Regulates the release of luminal Ca^{2+} via the calcium release channel RYR1; this plays an important role in triggering muscle contraction. Negatively regulates store-operated Ca^{2+} entry (SOCE) activity (PubMed:27185316).

Cellular Location

Endoplasmic reticulum Sarcoplasmic reticulum. Sarcoplasmic reticulum lumen {ECO:0000250|UniProtKB:P07221}. Sarcoplasmic reticulum membrane; Peripheral membrane protein; Luminal side {ECO:0000250|UniProtKB:P07221}. Mitochondrion matrix {ECO:0000250|UniProtKB:O09165}. Note=This isoform of calsequestrin occurs in the sarcoplasmic reticulum's terminal cisternae luminal spaces of fast skeletal muscle cells. Preferentially forms linear and round aggregates in the endoplasmic reticulum (ER) of resting cells (PubMed:28895244). In a minority of cells, homogeneously detected in the ER lumen (PubMed:28895244). Colocalizes with STIM1 at endoplasmic reticulum in response to a depletion of intracellular calcium (PubMed:27185316). {ECO:0000250|UniProtKB:P07221, ECO:0000269|PubMed:27185316, ECO:0000269|PubMed:28895244}

Tissue Location


Expressed in myoblasts (at protein level).

Calsequestrin 1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Calsequestrin 1 Antibody - Images



Western blot analysis of Calsequestrin 1 expression in Human skeletal muscle lysate.