

### **PXMP4 Antibody (Center)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP9180C

## **Specification**

# **PXMP4 Antibody (Center) - Product Information**

WB, FC, E Application **Primary Accession 09Y6I8** Reactivity Human **Rabbit** Host Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 24264 Antigen Region 128-155

## PXMP4 Antibody (Center) - Additional Information

#### **Gene ID 11264**

## **Other Names**

Peroxisomal membrane protein 4, 24 kDa peroxisomal intrinsic membrane protein, PXMP4, PMP24

# Target/Specificity

This PXMP4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 128-155 amino acids from the Central region of human PXMP4.

#### **Dilution**

WB~~1:1000 FC~~1:10~50

## **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

PXMP4 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## **PXMP4 Antibody (Center) - Protein Information**

# Name PXMP4

Synonyms PMP24



## **Cellular Location**

Peroxisome membrane; Multi-pass membrane protein

#### **Tissue Location**


Expressed in normal prostate epithelial cells, and androgen-sensitive prostate adenocarcinoma cells. Not expressed in androgen-insensitive prostate adenocarcinoma cells

# **PXMP4 Antibody (Center) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


# PXMP4 Antibody (Center) - Images



Western blot analysis of PXMP4 Antibody (Center) (Cat. #AP9180c) in mouse cerebellum tissue lysates (35ug/lane). PXMP4 (arrow) was detected using the purified Pab.



PXMP4 Antibody (Center) (Cat.#AP9180c) FC analysis of ZR-75-1 cells (bottom histogram)





compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

# PXMP4 Antibody (Center) - Background

PXMP4 belongs to the peroxisomal membrane protein PXMP2/4 family.

# **PXMP4 Antibody (Center) - References**

Jones, J.M., et.al., J. Cell Biol. 164 (1), 57-67 (2004) Deloukas, P., et.al., Nature 414 (6866), 865-871 (2001)