

MAGE 1 Antibody

Rabbit mAb Catalog # AP92394

Specification

MAGE 1 Antibody - Product Information

Application WB, FC, ICC
Primary Accession P43355
Reactivity Rat
Clonality Monoclonal

Other Names

CT1.1; MAGE1; MAGE1A; MAGEA1;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 34342 Da

MAGE 1 Antibody - Additional Information

Dilution WB~~1:1000

FC~~1:10~50 ICC~~N/A

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

MAGE 1

Description May be involved in transcriptional

regulation through interaction with SNW1 and recruiting histone deactelyase HDAC1. May inhibit notch intracellular domain (NICD) transactivation. May play a role in embryonal development and tumor transformation or aspects of tumor

progression.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

MAGE 1 Antibody - Protein Information

Name MAGEA1

Synonyms MAGE1, MAGE1A

Function

May be involved in transcriptional regulation through interaction with SNW1 and recruiting histone deactelyase HDAC1. May inhibit notch intracellular domain (NICD) transactivation. May play a role in embryonal development and tumor transformation or aspects of tumor progression. Antigen



recognized on a melanoma by autologous cytolytic T-lymphocytes.

Cellular Location

Cytoplasm. Nucleus.

Tissue Location


Expressed in many tumors of several types, such as melanoma, head and neck squamous cell carcinoma, lung carcinoma and breast carcinoma, but not in normal tissues except for testes. Never expressed in kidney tumors, leukemias and lymphomas

MAGE 1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

MAGE 1 Antibody - Images



Western blot analysis of MAGE 1 expression in A375 cell lysate.