

Caveolin-3 Antibody Rabbit mAb Catalog # AP92643

Specification

Caveolin-3 Antibody - Product Information

ApplicationWB, IHC, IPPrimary AccessionP56539ClonalityMonoclonalOther NamesCAV3; Caveolin 3; LGMD1C; LQT9; M-caveolin; VIP21;

lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	17259 Da

Caveolin-3 Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500 IP~~N/A
Purification Immunogen	Affinity-chromatography A synthesized peptide derived from Caveolin-3
Description Storage Condition and Buffer	May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein alpha subunits and can functionally regulate their activity. May also regulate voltage-gated potassium channels. Plays a role in the sarcolemma repair mechanism of both skeletal muscle and cardiomyocytes that permits rapid resealing of membranes disrupted by mechanical stress. Rabbit IgG in phosphate buffered saline,
Storage Condition and Buller	pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Caveolin-3 Antibody - Protein Information

Name CAV3

Function

May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein alpha subunits and can functionally regulate their activity. May also regulate voltage-gated potassium channels. Plays a role in the sarcolemma repair mechanism of both skeletal muscle and cardiomyocytes that permits rapid resealing of membranes disrupted by mechanical stress (By



similarity). Mediates the recruitment of CAVIN2 and CAVIN3 proteins to the caveolae (PubMed:19262564).

Cellular Location

Golgi apparatus membrane; Peripheral membrane protein. Cell membrane {ECO:000250|UniProtKB:P51638}; Peripheral membrane protein. Membrane, caveola {ECO:0000250|UniProtKB:P51637}; Peripheral membrane protein. Cell membrane, sarcolemma {ECO:0000250|UniProtKB:P51637}. Note=Potential hairpin-like structure in the membrane. Membrane protein of caveolae (By similarity)

Tissue Location

Expressed predominantly in muscle.

Caveolin-3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Caveolin-3 Antibody - Images



Western blot analysis of Caveolin-3 expression in human skeletal muscle cell lysate.