

CLPTM1 Antibody

Rabbit mAb Catalog # AP92760

Specification

HS9; N14;

CLPTM1 Antibody - Product Information

Application WB, IHC, FC, ICC

Primary Accession O96005
Clonality Monoclonal
Other Names

Isotype Rabbit IgG
Host Rabbit
Calculated MW 76097 Da

CLPTM1 Antibody - Additional Information

Dilution WB~~1:1000

IHC~~1:100~500 FC~~1:10~50 ICC~~N/A

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

CLPTM1

Description CLPTM1 may play a role in T-cell

development. A chromosomal translocation involving CLPTM1 is found in a family with

cleft lip and palate.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

CLPTM1 Antibody - Protein Information

Name CLPTM1

Function

Involved in GABAergic but not glutamatergic transmission. Binds and traps GABAA receptors in the endoplasmic reticulum (ER). Modulates postsynaptic GABAergic transmission, and therefore inhibitory neurotransmission, by reducing the plasma membrane expression of these receptors. Altered GABAergic signaling is one among many causes of cleft palate (By similarity). Might function as a lipid scramblase, translocating lipids in membranes from one leaflet to the other one (By similarity). Required for efficient glycosylphosphatidylinositol (GPI) inositol deacylation in the ER, which is a crucial step to switch GPI- anchored proteins (GPI-APs) from protein folding to transport states (PubMed:http://www.uniprot.org/citations/29255114 (By similarity).



Cellular Location

Membrane; Multi-pass membrane protein


Tissue Location Widely expressed..

CLPTM1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CLPTM1 Antibody - Images



Western blot analysis of CLPTM1 expression in HepG2 cell lysate.