

Catalog # AP93037

Phospho-PBK/TOPK (Thr9) Antibody Rabbit mAb

Specification

Phospho-PBK/TOPK (Thr9) Antibody - Product Information

ApplicationWB, IHCPrimary Accession<u>096KB5</u>ClonalityMonoclonalOther NamesCT84; MAPKK like protein kinase; Nori3; PBK; PDZ binding kinas; Serine/threonine protein kinase; SPK; TOPK;

lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	36085 Da

Phospho-PBK/TOPK (Thr9) Antibody - Additional Information

Dilution	WB~~1:1000 IHC~~1:100~500
Purification Immunogen	Affinity-chromatography A synthesized peptide derived from human Phospho-PBK/TOPK (Thr9)
Description	Phosphorylates MAP kinase p38. Seems to be active only in mitosis. May also play a role in the activation of lymphoid cells. When phosphorylated, forms a complex with TP53, leading to TP53 destabilization and attenuation of G2/M checkpoint during doxorubicin-induced DNA damage.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Phospho-PBK/TOPK (Thr9) Antibody - Protein Information

Name PBK

Synonyms TOPK

Function

Phosphorylates MAP kinase p38. Seems to be active only in mitosis. May also play a role in the activation of lymphoid cells. When phosphorylated, forms a complex with TP53, leading to TP53 destabilization and attenuation of G2/M checkpoint during doxorubicin- induced DNA damage.

Tissue Location




Expressed in the testis and placenta. In the testis, restrictedly expressed in outer cell layer of seminiferous tubules.

Phospho-PBK/TOPK (Thr9) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Phospho-PBK/TOPK (Thr9) Antibody - Images



Western blot analysis of Phospho-PBK/TOPK (Thr9) expression in (1) HeLa cell lysate; (2) HeLa cell treated with Nocodazole lysate.