

CD163L1 Antibody
Rabbit mAb
Catalog # AP93163**Specification**

CD163L1 Antibody - Product Information

Application	IHC
Primary Accession	Q9NR16
Clonality	Monoclonal
Other Names	
CD163b; CD163L1; CD164L1; M160; Scart1;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	159239 Da

CD163L1 Antibody - Additional Information

Dilution	IHC~~1:100~500
Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human CD163L1
Description	Isoform 1 is highly expressed in the spleen, lymph nodes, thymus, and fetal liver and weakly expressed in bone marrow and no expression was found in peripheral blood leukocytes. Isoform 1 expression is restricted to the monocyte and macrophage cell lines. Isoform 2 is only expressed in spleen.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

CD163L1 Antibody - Protein Information**Name** CD163L1**Synonyms** CD163B, M160**Cellular Location**

[Isoform 1]: Cell membrane; Single- pass type I membrane protein [Isoform 3]: Secreted.

Tissue Location

Isoform 1 is highly expressed in the spleen, lymph nodes, thymus, and fetal liver and weakly expressed in bone marrow and no expression was found in peripheral blood leukocytes. Isoform 1 expression is restricted to the monocyte and macrophage cell lines Isoform 2 is only expressed in

spleen.

CD163L1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CD163L1 Antibody - Images