

RAC3 Antibody

Rabbit mAb Catalog # AP93229

Specification

RAC3 Antibody - Product Information

Application WB, IHC
Primary Accession P60763
Reactivity Rat
Clonality Monoclonal

Other Names Rac1B; RAC3;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 21379 Da

RAC3 Antibody - Additional Information

Dilution WB~~1:1000

IHC~~1:100~500

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

RAC3

Description Plasma membrane-associated small

GTP-bound and inactive GDP-bound state.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

RAC3 Antibody - Protein Information

Name RAC3 (<u>HGNC:9803</u>)

Function

Plasma membrane-associated small GTPase which cycles between an active GTP-bound and inactive GDP-bound state. In active state binds to a variety of effector proteins to regulate cellular responses, such as cell spreading and the formation of actin-based protusions including lamellipodia and membrane ruffles. Promotes cell adhesion and spreading on fibrinogen in a CIB1 and alpha-IIb/beta3 integrin-mediated manner.

Cellular Location

Cytoplasm. Endomembrane system. Cell projection, lamellipodium. Cytoplasm, perinuclear region. Cell membrane. Cytoplasm, cytoskeleton. Note=Membrane-associated when activated. Colocalizes with NRBP to endomembranes and at the cell periphery in lamellipodia Colocalized with CIB1 in the perinuclear area and at the cell periphery



1011 000101 011000 1 0111000 1 0111010

Tissue Location

Highest levels in brain, also detected in heart, placenta and pancreas

RAC3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

RAC3 Antibody - Images