

Phospho-Tuberin (T1462) Antibody
Rabbit mAb
Catalog # AP93246

Specification

Phospho-Tuberin (T1462) Antibody - Product Information

Application WB, IHC
Primary Accession [P49815](#)
Clonality Monoclonal
Other Names
LAM; PPP1R160; Protein phosphatase 1, regulatory subunit 160; tsc2; TSC4; TSC4, formerly;
Tuberin; Tuberous sclerosis 2;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 200608 Da

Phospho-Tuberin (T1462) Antibody - Additional Information

Dilution WB~~1:1000
IHC~~1:100~500
Purification Affinity-chromatography
Immunogen A synthesized peptide derived from human
Phospho-Tuberin (T1462)
Description In complex with TSC1, inhibits the
nutrient-mediated or growth
factor-stimulated phosphorylation of S6K1
and EIF4EBP1 by negatively regulating
mTORC1 signaling. Acts as a
GTPase-activating protein (GAP) for the
small GTPase RHEB, a direct activator of
the protein kinase activity of mTORC1.
Storage Condition and Buffer Rabbit IgG in phosphate buffered saline ,
pH 7.4, 150mM NaCl, 0.02% sodium azide
and 50% glycerol. Store at +4°C short
term. Store at -20°C long term. Avoid
freeze / thaw cycle.

Phospho-Tuberin (T1462) Antibody - Protein Information

Name TSC2 {ECO:0000303|PubMed:7558029, ECO:0000312|HGNC:HGNC:12363}

Function

Catalytic component of the TSC-TBC complex, a multiprotein complex that acts as a negative regulator of the canonical mTORC1 complex, an evolutionarily conserved central nutrient sensor that stimulates anabolic reactions and macromolecule biosynthesis to promote cellular biomass generation and growth (PubMed:12172553, PubMed:12271141, PubMed:<a href="http://www.uniprot.org/citations/12842888"

target="_blank">>12842888, PubMed:>12906785, PubMed:>15340059, PubMed:>22819219, PubMed:>24529379, PubMed:>28215400, PubMed:>33436626, PubMed:>35772404). Within the TSC-TBC complex, TSC2 acts as a GTPase- activating protein (GAP) for the small GTPase RHEB, a direct activator of the protein kinase activity of mTORC1 (PubMed:>12172553, PubMed:>12820960, PubMed:>12842888, PubMed:>12906785, PubMed:>15340059, PubMed:>22819219, PubMed:>24529379, PubMed:>33436626). In absence of nutrients, the TSC-TBC complex inhibits mTORC1, thereby preventing phosphorylation of ribosomal protein S6 kinase (RPS6KB1 and RPS6KB2) and EIF4EBP1 (4E-BP1) by the mTORC1 signaling (PubMed:>12172553, PubMed:>12271141, PubMed:>12842888, PubMed:>12906785, PubMed:>22819219, PubMed:>24529379, PubMed:>28215400, PubMed:>35772404). The TSC-TBC complex is inactivated in response to nutrients, relieving inhibition of mTORC1 (PubMed:>12172553, PubMed:>24529379). Involved in microtubule-mediated protein transport via its ability to regulate mTORC1 signaling (By similarity). Also stimulates the intrinsic GTPase activity of the Ras- related proteins RAP1A and RAB5 (By similarity).

Cellular Location

Lysosome membrane; Peripheral membrane protein. Cytoplasm, cytosol Note=Recruited to lysosomal membranes in a RHEB-dependent process in absence of nutrients (PubMed:24529379). In response to insulin signaling and phosphorylation by PKB/AKT1, the complex dissociates from lysosomal membranes and relocalizes to the cytosol (PubMed:24529379)

Tissue Location

Liver, brain, heart, lymphocytes, fibroblasts, biliary epithelium, pancreas, skeletal muscle, kidney, lung and placenta.

Phospho-Tuberin (T1462) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

Phospho-Tuberin (T1462) Antibody - Images