

DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody

Catalog # AP93839

Specification

DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody - Product Information

Application WB, IF
Primary Accession Q68J44
Reactivity Human, Mouse
Clonality Monoclonal

Calculated MW 25336

DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody - Additional Information

Gene ID 338599

Other Names

Dual specificity phosphatase 29 {ECO:0000312|HGNC:HGNC:23481}, Dual specificity phosphatase 27, Dual specificity phosphatase DUPD1, 3.1.3.16, 3.1.3.48, DUSP29 (HGNC:23481)

Dilution

WB~~1:1000 IF~~1:50~200

Storage Conditions

-20°C

DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody - Protein Information

Name DUSP29 (HGNC:23481)

Function

Dual specificity phosphatase able to dephosphorylate phosphotyrosine, phosphoserine and phosphothreonine residues within the same substrate, with a preference for phosphotyrosine as a substrate (PubMed:17498703). Involved in the modulation of intracellular signaling cascades. In skeletal muscle regulates systemic glucose homeostasis by activating, AMPK, an energy sensor protein kinase (By similarity). Affects MAP kinase signaling though modulation of the MAPK1/2 cascade in skeletal muscle promoting muscle cell differentiation, development and atrophy (By similarity).

Cellular Location

Cytoplasm. Nucleus {ECO:0000250|UniProtKB:Q8BK84}




DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


DUPD1 (DUSP27) (18V4) Mouse Monoclonal antibody - Images




HEK293T cells transfected with either overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DUPD1 antibody (AP93839), and then analyzed by flow cytometry.



Anti-DUPD1 mouse monoclonal antibody (AP93839) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DUPD1 .







HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DUPD1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DUPD1. Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.