

Purified ZNF34 (6J6) Mouse Monoclonal antibody
Purified ZNF34 (6J6) Mouse Monoclonal antibody
Catalog # AP93891

Specification

Purified ZNF34 (6J6) Mouse Monoclonal antibody - Product Information

Application	WB, IHC
Primary Accession	Q8IZ26
Reactivity	Human
Clonality	Monoclonal
Calculated MW	64038

Purified ZNF34 (6J6) Mouse Monoclonal antibody - Additional Information

Gene ID 80778

Other Names

Zinc finger protein 34, Zinc finger protein KOX32, ZNF34, KOX32

Dilution

WB~~1:1000

IHC~~1:100~500

Storage Conditions

-20°C

Purified ZNF34 (6J6) Mouse Monoclonal antibody - Protein Information

Name ZNF34

Synonyms KOX32

Function

May be involved in transcriptional regulation.

Cellular Location

Nucleus.


Purified ZNF34 (6J6) Mouse Monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Purified ZNF34 (6J6) Mouse Monoclonal antibody - Images



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)




Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM


EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)



Immunohistochemical staining of paraffin-embedded Human Ovary tissue within the normal limits using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ZNF34 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ZNF34(Cat# AP93891). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.

