

ABCE1 Recombinant Rabbit mAb
ABCE1 Recombinant Rabbit mAb
Catalog # AP94423**Specification**

ABCE1 Recombinant Rabbit mAb - Product Information

Application	WB, IF, ICC
Host	Rabbit
Clonality	Recombinant

ABCE1 Recombinant Rabbit mAb - Additional Information**Dilution**

WB ~ 1:1000
IF ~ 1:50 ~ 200
ICC ~ N/A

Format

0.01M TBS (pH 7.4), 0.09% (W/V) sodium azide and 50% Glycerol


Storage


Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ABCE1 Recombinant Rabbit mAb - Protein Information**ABCE1 Recombinant Rabbit mAb - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ABCE1 Recombinant Rabbit mAb - Images



Blocking buffer: 5% NFDM/TBST Primary ab dilution: 1:1000 Primary ab incubation condition: room temperature 2h Secondary ab: Goat Anti-Rabbit IgG H&L (HRP) Lysate: 1:HeLa, 2: Panc-1, 3: Mouse liver Protein loading quantity: 20 μ g Exposure time: 10 s Predicted MW: 67 kDa Observed MW: 67 kDa



Cell line: NIH-3T3 Fixative: 4% Paraformaldehyde Permeabilization: 0.1% TritonX-100 Primary ab dilution: 1:50 Primary incubation condition: 4°C overnight Secondary ab: Goat Anti-Rabbit IgG Nuclear counter stain: DAPI (Blue) Comment: Color green is the positive signal for AP94423



Cell line: HeLa Fixative: 4% Paraformaldehyde Permeabilization: 0.1% TritonX-100 Primary ab dilution: 1:50 Primary incubation condition: 4°C overnight Secondary ab: Goat Anti-Rabbit IgG Nuclear counter stain: DAPI (Blue) Comment: Color green is the positive signal for AP94423

ABCE1 Recombinant Rabbit mAb - Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.