

Pro-Alpha 1 type I collagen Rabbit pAb
Pro-Alpha 1 type I collagen Rabbit pAb
Catalog # AP94558**Specification**

Pro-Alpha 1 type I collagen Rabbit pAb - Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	P02452
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	138911

Pro-Alpha 1 type I collagen Rabbit pAb - Additional Information**Gene ID** 1277**Other Names**

Collagen alpha-1(I) chain, Alpha-1 type I collagen, COL1A1

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

Pro-Alpha 1 type I collagen Rabbit pAb - Protein Information**Name** COL1A1**Function**

Type I collagen is a member of group I collagen (fibrillar forming collagen).

Cellular Location

Secreted, extracellular space, extracellular matrix {ECO:0000255|PROSITE-ProRule:PRU00793}

Tissue Location


Forms the fibrils of tendon, ligaments and bones. In bones the fibrils are mineralized with calcium hydroxyapatite

Pro-Alpha 1 type I collagen Rabbit pAb - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Pro-Alpha 1 type I collagen Rabbit pAb - Images



Sample: Lane 1: Placenta (Mouse) Lysate at 40 ug Lane 2: U-2OS (Human) Cell Lysate at 30 ug
Primary: Anti-Collagen I (AP94558) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 130 kD Observed band size: 130 kD



Sample: Ovary (Mouse) Lysate at 40 ug NIH/3T3(Mouse) Cell Lysate at 40 ug Liver (Rat)Lysate at 40 ug 293T(huamn) Cell Lysate at 40 ug A431(huamn) Cell Lysate at 40 ug RAW264.7(Mouse) Cell Lysate at 40 ug Primary: Anti-Collagen I (AP94558) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 130 kD Observed band size: 110 kD

Pro-Alpha 1 type I collagen Rabbit pAb - Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.