

NARFL Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP9824c

Specification

NARFL Antibody (Center) - Product Information

WB, FC, E Application **Primary Accession** O9H6O4 Reactivity Human **Rabbit** Host Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 53020 Antigen Region 240-269

NARFL Antibody (Center) - Additional Information

Gene ID 64428

Other Names

Cytosolic Fe-S cluster assembly factor NARFL, Iron-only hydrogenase-like protein 1, IOP1, Nuclear prelamin A recognition factor-like protein, Protein related to Narf, NARFL, PRN

Target/Specificity

This NARFL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 240-269 amino acids from the Central region of human NARFL.

Dilution

WB~~1:1000 FC~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

NARFL Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

NARFL Antibody (Center) - Protein Information

Name CIAO3 (HGNC:14179)



Function Component of the cytosolic iron-sulfur protein assembly (CIA) complex, a multiprotein complex that mediates the incorporation of iron-sulfur cluster into extramitochondrial Fe/S proteins. Seems to negatively regulate the level of HIF1A expression, although this effect could be indirect.


Tissue Location Widely expressed...

NARFL Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

NARFL Antibody (Center) - Images



Western blot analysis of NARFL Antibody (Center) (Cat. #AP9824c) in MDA-MB435 cell line lysates (35ug/lane). NARFL (arrow) was detected using the purified Pab.



NARFL Antibody (Center) (Cat. #AP9824c) flow cytometric analysis of MDA-MB435 cells (bottom





histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

NARFL Antibody (Center) - References

Song, D., et al. J. Biol. Chem. 284(51):35297-35307(2009) Huang, J., et al. Biochem. J. 401(1):341-352(2007) Rush, J., et al. Nat. Biotechnol. 23(1):94-101(2005) Daniels, R.J., et al. Hum. Mol. Genet. 10(4):339-352(2001)