

PHTNS Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP9994a

Specification

PHTNS Antibody (N-term) - Product Information

| | |
|-------------------|------------------------|
| Application | WB, IHC-P, FC,E |
| Primary Accession | Q6NYC8 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Calculated MW | 67943 |
| Antigen Region | 192-220 |

PHTNS Antibody (N-term) - Additional Information

Gene ID 170954

Other Names

Phostensin, Protein phosphatase 1 F-actin cytoskeleton-targeting subunit, Protein phosphatase 1 regulatory subunit 18, PPP1R18, HKMT1098, KIAA1949

Target/Specificity

This PHTNS antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 192-220 amino acids from the N-terminal region of human PHTNS.

Dilution

WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PHTNS Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

PHTNS Antibody (N-term) - Protein Information

Name PPP1R18

Synonyms HKMT1098, KIAA1949

Function [Isoform 1]: May target protein phosphatase 1 to F-actin cytoskeleton.

Cellular Location

[Isoform 1]: Cytoplasm, cytoskeleton

Tissue Location


Isoform 4 is predominantly expressed in leukocytes and spleen.

PHTNS Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


PHTNS Antibody (N-term) - Images



Western blot analysis of PHTNS Antibody (N-term) (Cat. #AP9994a) in Ramos cell line lysates (35ug/lane). PHTNS (arrow) was detected using the purified Pab.



PHTNS Antibody (N-term) (Cat. #AP9994a) IHC analysis in formalin fixed and paraffin embedded human spleen tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the PHTNS Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



PHTNS Antibody (N-term) (Cat. #AP9994a) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

PHTNS Antibody (N-term) - Background

PHTNS interacts with regulatory subunits that target the enzyme to different cellular locations and change its activity toward specific substrates. Phostensin is a regulatory subunit that targets PP1 to F-actin cytoskeleton□

PHTNS Antibody (N-term) - References

Lai, N.S., et al. Biochem. Biophys. Res. Commun. 387(4):676-681(2009)
Barcellos, L.F., et al. PLoS Genet. 5 (10), E1000696 (2009)
Kao, S.C., et al. Biochem. Biophys. Res. Commun. 356(3):594-598(2007)