

CD43

Mouse Monoclonal Antibody (Mab) Catalog # APA063

Specification

CD43 - Product Information

| Application |
|-------------------|
| Primary Accession |
| Host |
| Clonality |
| Calculated MW |

<u>P16150</u> Mouse Monoclonal 40322 Da

IHC

CD43 - Additional Information

Gene ID 6693 Gene Name SPN Other Names Leukosialin, GPL115, Galactoglycoprotein, GALGP, Leukocyte sialoglycoprotein, Sialophorin, CD43, CD43 cytoplasmic tail, CD43-ct, CD43ct, SPN, CD43

Dilution IHC~~1:100~500

Storage

Precautions

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles. CD43 is for research use only and not for use in diagnostic or therapeutic procedures.

CD43 - Protein Information

Name SPN

Synonyms Function

CD43

Predominant cell surface sialoprotein of leukocytes which regulates multiple T-cell functions, including T-cell activation, proliferation, differentiation, trafficking and migration. Positively regulates T-cell trafficking to lymph-nodes via its association with ERM proteins (EZR, RDX and MSN) (By similarity). Negatively regulates Th2 cell differentiation and predisposes the differentiation of T-cells towards a Th1 lineage commitment. Promotes the expression of IFN-gamma by T-cells during T-cell receptor (TCR)



| | activation of naive cells and induces the expression of IFN-gamma by CD4(+) T-cells and to a lesser extent by CD8(+) T-cells (PubMed: <u>18036228</u>). Plays a role in preparing T-cells for cytokine sensing and differentiation into effector cells by inducing the expression of cytokine receptors IFNGR and IL4R, promoting IFNGR and IL4R signaling and by mediating the clustering of IFNGR with TCR (PubMed: <u>24328034</u>). Acts as a major E-selectin ligand responsible for Th17 cell rolling on activated vasculature and recruitment during inflammation. Mediates Th17 cells, but not Th1 cells, adhesion to E- selectin. Acts as a T-cell counter-receptor for SIGLEC1 (By |
|-------------------|--|
| Cellular Location | similarity). Membrane; Single-pass type I membrane protein. Cell projection, microvillus {ECO:0000250 UniProtKB:P13838}. Cell projection, uropodium {ECO:0000250 UniProtKB:P15702}. Note=Localizes to the uropodium and microvilli via its interaction with ERM proteins (EZR, RDX and MSN) {ECO:0000250 UniProtKB:P13838, ECO:0000250 UniProtKB:P13838, |
| Tissue Location | ECO:0000250 UniProtKB:P15702} Cell surface of thymocytes, T-lymphocytes, neutrophils, plasma cells and myelomas |

CD43 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

CD43 - Images