

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) Recombinant Antibody Catalog # APR10017

Specification

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW FC, Kinetics, Animal Model <u>P29279</u> Rat, Human, Mouse, Rabbit Monoclonal IgG1 144.86 KDa

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) - Additional Information

Target/Specificity CCN2 / CTGF

Endotoxin < 0.001EU/ μg,determined by LAL method.

Conjugation Unconjugated

Expression system CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) - Protein Information

Name CCN2 (HGNC:2500)

Function

Major connective tissue mitoattractant secreted by vascular endothelial cells. Promotes proliferation and differentiation of chondrocytes. Is involved in the stimulation of osteoblast differentiation and has a critical role in osteogenesis (PubMed:39414788). Mediates

href="http://www.uniprot.org/citations/39414788" target="_blank">39414788). Mediates heparin- and divalent cation-dependent cell adhesion in many cell types including fibroblasts, myofibroblasts, endothelial and epithelial cells. Enhances fibroblast growth factor- induced DNA synthesis.

Cellular Location Secreted, extracellular space, extracellular matrix {ECO:0000250|UniProtKB:P29268}. Secreted

Tissue Location




Expressed in bone marrow and thymic cells. Also expressed one of two Wilms tumors tested.

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) - Images




Anti-CCN2 / CTGF Reference Antibody (pamrevlumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%




The purity of Anti-CCN2 / CTGF Reference Antibody (pamrevlumab)is more than 100% , determined by SEC-HPLC.





Immobilized human CTGF His at 2 μ g/mL can bind Anti-CCN2 / CTGF Reference Antibody (pamrevlumab)[EC50=0.006105 μ g/mL.



Pamrevlumab inhibited the tumor growth of COLO205 on Balb/c nude mice. The result showed significant anti-tumor effects, with an tumor inhibition rate (TGI) of 39% at 40 mpk at D31.