

## Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1)

Recombinant Antibody Catalog # APR10086

## **Specification**

# Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) - Product Information

Application Primary Accession Reactivity Clonality Isotype

Calculated MW

FC, Kinetics, Animal Model

**Q8TD46** 

Human, Mouse Monoclonal

IgG4

146.58 KDa

# Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) - Additional Information

Target/Specificity OX2R / CD200R1

**Endotoxin** 

< 0.001EU/ μg, determined by LAL method.

**Conjugation** Unconjugated

**Expression system** 

CHO Cell

#### **Format**

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

# Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) - Protein Information

Name CD200R1

Synonyms CD200R, CRTR2, MOX2R, OX2R

### **Function**

Inhibitory receptor for the CD200/OX2 cell surface glycoprotein. Limits inflammation by inhibiting the expression of pro- inflammatory molecules including TNF-alpha, interferons, and inducible nitric oxide synthase (iNOS) in response to selected stimuli. Also binds to HHV-8 K14 viral CD200 homolog with identical affinity and kinetics as the host CD200.

#### **Cellular Location**

[Isoform 1]: Cell membrane; Single-pass type I membrane protein [Isoform 2]: Secreted.



#### **Tissue Location**


Expressed in granulocytes, monocytes, most T-cells, neutrophils, basophils and a subset of NK, NKT and B-cells (at protein level). Expressed in bone marrow, lymph nodes, spleen, lung, liver, spinal cord, kidney. Expressed in monocyte-derived dendritic and mast cells.

## Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) - Images




Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1)is more than 99.29% ,determined by SEC-HPLC.





Immobilized human CD200R His at 2  $~\mu g/mL$  can bind Anti-OX2R / CD200R1 Reference Antibody (Janssen patent anti-CD200R1)  $_{\square}EC50=0.04025~\mu g/mL$