

**Anti-ERBB3 / HER3 Reference Antibody (barecetamab)
Recombinant Antibody
Catalog # APR10156****Specification**

Anti-ERBB3 / HER3 Reference Antibody (barecetamab) - Product Information

Application	FC, Kinetics, Animal Model
Primary Accession	P21860
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	143.9 KDa

Anti-ERBB3 / HER3 Reference Antibody (barecetamab) - Additional Information**Target/Specificity**
ERBB3 / HER3**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-ERBB3 / HER3 Reference Antibody (barecetamab) - Protein Information****Name** ERBB3**Synonyms** HER3**Function**
Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins. Binds to neuregulin-1 (NRG1) and is activated by it; ligand-binding increases phosphorylation on tyrosine residues and promotes its association with the p85 subunit of phosphatidylinositol 3-kinase (PubMed:20682778). May also be activated by CSPG5 (PubMed:15358134). Involved in the regulation of myeloid cell differentiation (PubMed:27416908).**Cellular Location**
[Isoform 1]: Cell membrane; Single-pass type I membrane protein


Tissue Location

Epithelial tissues and brain.


Anti-ERBB3 / HER3 Reference Antibody (barecetamab) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

Anti-ERBB3 / HER3 Reference Antibody (barecetamab) - Images

Anti-ERBB3 / HER3 Reference Antibody (barecetamab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-ERBB3 / HER3 Reference Antibody (barecetamab) is more than 95%, determined by SEC-HPLC.



Immobilized human HER3 His at 2 µg/mL can bind Anti-ERBB3 / HER3 Reference Antibody (barecetamab) \square EC₅₀=0.00893 µg/mL