

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309)

Recombinant Antibody Catalog # APR10413

Specification

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) - Product Information

Application Primary Accession Reactivity Clonality

Isotype

Calculated MW

FC, Kinetics, Animal Model

<u>060449</u>

Human, Mouse Monoclonal

IqG1

145.36 KDa

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) - Additional Information

Target/Specificity LY75 / CD205/DEC-205

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation Unconjugated

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) - Protein Information

Name LY75

Synonyms CD205, CLEC13B

Function

Acts as an endocytic receptor to direct captured antigens from the extracellular space to a specialized antigen-processing compartment (By similarity). Causes reduced proliferation of B-lymphocytes.

Cellular Location

Membrane; Single-pass type I membrane protein

Tissue Location

Expressed in spleen, thymus, colon and peripheral blood lymphocytes. Detected in myeloid and B-lymphoid cell lines Isoform 2 and isoform 3 are expressed in malignant Hodgkin lymphoma cells



Tel: 858.875.1900 Fax: 858.875.1999


called Hodgkin and Reed-Sternberg (HRS) cells

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) - Images



Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-LY75 / CD205/DEC-205 Reference Antibody (MEN1309)is more than 95% ,determined by SEC-HPLC.