

Anti-GPR20 Reference Antibody (DS-6157)
Recombinant Antibody
Catalog # APR10587**Specification**

Anti-GPR20 Reference Antibody (DS-6157) - Product Information


Application	FC, Kinetics, Animal Model
Primary Accession	Q99678
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	150 KDa

Anti-GPR20 Reference Antibody (DS-6157) - Additional Information**Target/Specificity**
GPR20**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-GPR20 Reference Antibody (DS-6157) - Protein Information****Name** GPR20**Function**
Orphan receptor with constitutive G(i) signaling activity that activate cyclic AMP.**Cellular Location**
Cell membrane; Multi-pass membrane protein**Tissue Location**
Ubiquitous with highest levels in intestinal tissues. In the brain detected in thalamus, putamen, and caudate, but not in frontal cortex, pons and hypothalamus**Anti-GPR20 Reference Antibody (DS-6157) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-GPR20 Reference Antibody (DS-6157) - Images



Anti-GPR20 Reference Antibody (DS-6157) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-GPR20 Reference Antibody (DS-6157) is more than 95% ,determined by SEC-HPLC.