

Anti-MUC16 Reference Antibody (Sofituzumab vedotin)

Recombinant Antibody Catalog # APR10592

Specification

Anti-MUC16 Reference Antibody (Sofituzumab vedotin) - Product Information

Application
Primary Accession
Reactivity
Clonality

Isotype

Calculated MW

FC, E, FTA <u>08WXI7</u> Cynomolgus, Human

lgG1 150 KDa

Monoclonal

Anti-MUC16 Reference Antibody (Sofituzumab vedotin) - Additional Information

Target/Specificity

MUC16

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation

MMAE

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Storage

-80°C for 2 years under sterile conditions -20°C for 1 year under sterile conditions Avoid repeated freeze-thaw cycles.

Anti-MUC16 Reference Antibody (Sofituzumab vedotin) - Protein Information

Name MUC16 (<u>HGNC:15582</u>)

Function

Thought to provide a protective, lubricating barrier against particles and infectious agents at mucosal surfaces.

Cellular Location

Cell membrane; Single-pass type I membrane protein. Secreted, extracellular space. Note=May be liberated into the extracellular space following the phosphorylation of the intracellular C-terminus which induces the proteolytic cleavage and liberation of the extracellular domain





Tissue Location


Expressed in corneal and conjunctival epithelia (at protein level). Overexpressed in ovarian carcinomas and ovarian low malignant potential (LMP) tumors as compared to the expression in normal ovarian tissue and ovarian adenomas

Anti-MUC16 Reference Antibody (Sofituzumab vedotin) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-MUC16 Reference Antibody (Sofituzumab vedotin) - Images



Anti-MUC16 Reference Antibody (Sofituzumab vedotin) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-MUC16 Reference Antibody (Sofituzumab vedotin)is more than 100%, determined by SEC-HPLC.