

Anti-MUC16 Reference Antibody (abagovomab)

Recombinant Antibody Catalog # APR10692

Specification

Anti-MUC16 Reference Antibody (abagovomab) - Product Information

Application FC, Kinetics, Animal Model

Primary Accession
Reactivity
Human
Clonality
Monoclonal
Isotype

Calculated MW 144.42 KDa

Anti-MUC16 Reference Antibody (abagovomab) - Additional Information

Target/Specificity

MUC16

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation Unconjugated

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-MUC16 Reference Antibody (abagovomab) - Protein Information

Name MUC16 (<u>HGNC:15582</u>)

Function

Thought to provide a protective, lubricating barrier against particles and infectious agents at mucosal surfaces.

Cellular Location

Cell membrane; Single-pass type I membrane protein. Secreted, extracellular space. Note=May be liberated into the extracellular space following the phosphorylation of the intracellular C-terminus which induces the proteolytic cleavage and liberation of the extracellular domain

Tissue Location

Expressed in corneal and conjunctival epithelia (at protein level). Overexpressed in ovarian carcinomas and ovarian low malignant potential (LMP) tumors as compared to the expression in normal ovarian tissue and ovarian adenomas




Anti-MUC16 Reference Antibody (abagovomab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-MUC16 Reference Antibody (abagovomab) - Images



Anti-MUC16 Reference Antibody (abagovomab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-MUC16 Reference Antibody (abagovomab)is more than 95% ,determined by SEC-HPLC.