

# Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab)

Recombinant Antibody Catalog # APR10719

#### **Specification**

## Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) - Product Information

Application FC, Kinetics, Animal Model

Primary Accession
Reactivity
Human
Clonality
Monoclonal
Isotype
Calculated MW
P24394
Human
Monoclonal
1gG4SP
143.86 KDa

#### Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) - Additional Information

Target/Specificity IL-4Ra / CD124

**Endotoxin** 

< 0.001EU/ µg,determined by LAL method.

**Conjugation** Unconjugated

**Expression system** 

CHO Cell

#### **Format**

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

### Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) - Protein Information

Name IL4R

Synonyms IL4RA

#### **Function**

Receptor for both interleukin 4 and interleukin 13 (PubMed: <a

href="http://www.uniprot.org/citations/17030238" target="\_blank">17030238</a>). Couples to the JAK1/2/3-STAT6 pathway. The IL4 response is involved in promoting Th2 differentiation. The IL4/IL13 responses are involved in regulating IgE production and, chemokine and mucus production at sites of allergic inflammation. In certain cell types, can signal through activation of insulin receptor substrates, IRS1/IRS2.

#### **Cellular Location**

Cell membrane; Single-pass type I membrane protein



**Tissue Location** 


Isoform 1 and isoform 2 are highly expressed in activated T-cells

### Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) - Images



Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-IL-4Ra / CD124 Reference Antibody (Manfidokimab)is more than 99.14% ,determined by SEC-HPLC.