

Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1)

Recombinant Antibody Catalog # APR10822

Specification

Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) - Product Information

Application FC, E, FTA Primary Accession O9H5V8

Reactivity Cynomolgus, Human

Clonality Monoclonal

Isotype IgG1
Calculated MW 150 KDa

Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) - Additional Information

Target/Specificity CDCP1 / CD318

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation Unconjugated

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Storage

-80°C for 2 years under sterile conditions -20°C for 1 year under sterile conditions Avoid repeated freeze-thaw cycles.

Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) - Protein Information

Name CDCP1

Synonyms TRASK

Function

May be involved in cell adhesion and cell matrix association. May play a role in the regulation of anchorage versus migration or proliferation versus differentiation via its phosphorylation. May be a novel marker for leukemia diagnosis and for immature hematopoietic stem cell subsets. Belongs to



the tetraspanin web involved in tumor progression and metastasis.

Cellular Location

[Isoform 1]: Cell membrane; Single- pass membrane protein. Note=Shedding may also lead to a soluble peptide

Tissue Location


Highly expressed in mitotic cells with low expression during interphase. Detected at highest levels in skeletal muscle and colon with lower levels in kidney, small intestine, placenta and lung. Up-regulated in a number of human tumor cell lines, as well as in colorectal cancer, breast carcinoma and lung cancer. Also expressed in cells with phenotypes reminiscent of mesenchymal stem cells and neural stem cells.

Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) - Images



Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%







The purity of Anti-CDCP1 / CD318 Reference Antibody (U.California patent anti-CDCP1) is more than 95% , determined by SEC-HPLC.