

**Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9)
Recombinant Antibody
Catalog # APR10874****Specification**

Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) - Product Information


Application	FC, Kinetics, Animal Model
Primary Accession	Q07325
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	150 KDa

Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) - Additional Information**Target/Specificity**
CXCL9**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) - Protein Information****Name** CXCL9**Synonyms** CMK, MIG, SCYB9**Function**
Cytokine that affects the growth, movement, or activation state of cells that participate in immune and inflammatory response. Chemotactic for activated T-cells. Binds to CXCR3.**Cellular Location**
Secreted.**Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) - Images



Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-CXCL9 Reference Antibody (Novimmune patent anti-CXCL9) is more than 95%, determined by SEC-HPLC.