

## Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4)

Recombinant Antibody Catalog # APR10937

### **Specification**

## Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) - Product Information

Application FC, E, FTA
Primary Accession P62805
Reactivity Human
Clonality Monoclonal
Isotype IgG1
Calculated MW 150 KDa

# Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) - Additional Information

Target/Specificity

Histone H4

**Endotoxin** 

< 0.001EU/ µg,determined by LAL method.

Conjugation

Unconjugated

**Expression system** 

CHO Cell

#### **Format**

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

### **Storage**

-80°C for 2 years under sterile conditions -20°C for 1 year under sterile conditions Avoid repeated freeze-thaw cycles.

# Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) - Protein Information

Name H4C1

Synonyms H4/A, H4FA, HIST1H4A

## **Function**

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal



stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

**Cellular Location** 


Nucleus. Chromosome.

### Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) - Images



Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-Histone H4 Reference Antibody (Immunomedics patent anti-Histone H4)is more than 95% ,determined by SEC-HPLC.