

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) Recombinant Antibody Catalog # APR11054

Specification

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) - Product Information

Application Primary Accession Reactivity Clonality Isotype Calculated MW FC, Kinetics, Animal Model 075509 Human Monoclonal IgG1 150 KDa

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) - Additional Information

Target/Specificity TNFRSF21 / DR6 / CD358

Endotoxin < 0.001EU/ μg,determined by LAL method.

Conjugation Unconjugated

Expression system CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative. This antibody is purified through a protein A column.

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) - Protein Information

Name TNFRSF21

Synonyms DR6

Function

Promotes apoptosis, possibly via a pathway that involves the activation of NF-kappa-B. Can also promote apoptosis mediated by BAX and by the release of cytochrome c from the mitochondria into the cytoplasm. Trophic-factor deprivation triggers the cleavage of surface APP by beta-secretase to release sAPP-beta which is further cleaved to release an N-terminal fragment of APP (N-APP). Negatively regulates oligodendrocyte survival, maturation and myelination. Plays a role in signaling cascades triggered by stimulation of T-cell receptors, in the adaptive immune response and in the regulation of T-cell differentiation and proliferation. Negatively regulates T-cell



responses and the release of cytokines such as IL4, IL5, IL10, IL13 and IFNG by Th2 cells. Negatively regulates the production of IgG, IgM and IgM in response to antigens. May inhibit the activation of JNK in response to T-cell stimulation. Also acts as a regulator of pyroptosis: recruits CASP8 in response to reactive oxygen species (ROS) and subsequent oxidation, leading to activation of GSDMC (PubMed:34012073).

Cellular Location

Cell membrane; Single-pass type I membrane protein Note=Endocytosed following oxidation in response to reactive oxygen species (ROS).

Tissue Location

Detected in fetal spinal cord and in brain neurons, with higher levels in brain from Alzheimer disease patients (at protein level). Highly expressed in heart, brain, placenta, pancreas, lymph node, thymus and prostate. Detected at lower levels in lung, skeletal muscle, kidney, testis, uterus, small intestine, colon, spleen, bone marrow and fetal liver. Very low levels were found in adult liver and peripheral blood leukocytes.

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- <u>Cell Culture</u>

Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) - Images



Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein



is greater than 90%



The purity of Anti-TNFRSF21 / DR6 / CD358 Reference Antibody (Abbvie patent anti-TNFRSF21) is more than 95% ,determined by SEC-HPLC.