

DAPK2 Antibody

Catalog # ASC10117

Specification

DAPK2 Antibody - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW **Application Notes**

WB, IHC-P, E **09UIK4** BAA88063, 6521210 Human, Mouse, Rat **Rabbit Polyclonal** laG

42 kDa KDa

DAPK2 antibody can be used for detection of DAPK2 by Western blot at 1 µg/mL. An approximately 42 kDa band can be detected. DAPK2 has no cross responses to

DAPK1. Antibody can also be used for immunohistochemistry starting at 2

μg/mL.

DAPK2 Antibody - Additional Information

Gene ID 23604

Other Names

DAPK2 Antibody: DRP1, DRP-1, Death-associated protein kinase 2, DAP-kinase-related protein 1, DAP kinase 2, death-associated protein kinase 2

Target/Specificity

DAPK2; DAPK2 has no cross responses to DAPK1.

Reconstitution & Storage

DAPK2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

DAPK2 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

DAPK2 Antibody - Protein Information

Name DAPK2

Function

Calcium/calmodulin-dependent serine/threonine kinase involved in multiple cellular signaling pathways that trigger cell survival, apoptosis, and autophagy. Regulates both type I apoptotic and type II autophagic cell death signals, depending on the cellular setting. The former is caspase-dependent, while the latter is caspase-independent and is characterized by the





accumulation of autophagic vesicles. Acts as a mediator of anoikis and a suppressor of beta-catenin-dependent anchorage-independent growth of malignant epithelial cells. May play a role in granulocytic maturation (PubMed:17347302). Regulates granulocytic motility by controlling cell spreading and polarization (PubMed:<a href="http://www.uniprot.org/citations/24163421"

Cellular Location

Cytoplasm. Cytoplasmic vesicle, autophagosome lumen

Tissue Location

Expressed in neutrophils and eosinophils (PubMed:24163421). Isoform 2 is expressed in embryonic stem cells (at protein level). Isoform 1 is ubiquitously expressed in all tissue types examined with high levels in heart, lung and skeletal muscle


DAPK2 Antibody - Protocols

target=" blank">24163421).

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

DAPK2 Antibody - Images



Western blot analysis of DAPK2 in A431 (H), mouse spleen (M), and rat kidney (R) lysates with DAPK2 antibody at 1 μ g/mL.





Immunohistochemistry of DAPK2 in mouse spleen cells with DAPK2 antibody at 2 μg/mL.

DAPK2 Antibody - Background

DAPK2 Antibody: Apoptosis is mediated by death domain containing adapter molecules and a caspase family of proteases. Certain serine/threonine protein kinases, such as RIP and DAP kinase, are mediators of apoptosis. DAP kinase (DAPK) is pro-apoptotic calcium-regulated serine/threonine kinase containing death domain. Ectopic expression of DAPK induces cell death and suppresses oncogenic transformation. DAPK mediates IFNy induced apoptosis. A novel DAP kinase-related protein was recently identified and designated DAPK2 and DRP-1. Ectopicly expressed DAPK2 induced apoptosis in various types of cells. DAPK has high sequence homology to ZIP kinase and DRAK1/2, and they represent a novel family of serine/threonine kinases, which mediates apoptosis through their catalytic activities. The messenger RNA of DAPK2 is expressed in multiple human tissues.

DAPK2 Antibody - References

Kawai T, Nomura F, Hoshino K, Copeland NG, Gilbert DJ, Jenkins NA, Akira S. Death-associated protein kinase 2 is a new calcium/calmodulin-dependent protein kinase that signals apoptosis through its catalytic activity. Oncogene 1999;18(23):3471-80 Inbal B, Shani G, Cohen O, Kissil JL, Kimchi A. Death-associated protein kinase-related protein 1, a novel serine/threonine kinase involved in apoptosis. Mol Cell Biol 2000;20(3):1044-54 (WD0101)