

### **ADAMTSL5 Antibody**

Catalog # ASC11105

#### **Specification**

### **ADAMTSL5 Antibody - Product Information**

Application
Primary Accession
Other Accession
Reactivity
Host
Clonality
Isotype

**Application Notes** 

WB, IHC, IF Q6ZMM2

NP\_998769, 226442878 Human, Mouse, Rat

Chicken Polyclonal

IgY

ADAMTSL5 antibody can be used for detection of ADAMTSL5 by Western blot at 1  $\mu$ g/mL. Antibody can also be used for immunohistochemistry starting at 5  $\mu$ g/mL.

For immunofluorescence start at 20 µg/mL.

## **ADAMTSL5 Antibody - Additional Information**

Gene ID 339366

Target/Specificity ADAMTSL5;

### **Reconstitution & Storage**

ADAMTSL5 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

#### **Precautions**

ADAMTSL5 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## **ADAMTSL5 Antibody - Protein Information**

Name ADAMTSL5

**Synonyms THSD6** 

#### **Function**

May play a role in modulation of fibrillin microfibrils in the extracellular matrix (ECM).

#### **Cellular Location**

Secreted. Secreted, extracellular space, extracellular matrix. Note=Colocalized with fibrillin microfibrils. Predominantly distributed in baso-lateral regions of fibroblast extracellular matrix




# **ADAMTSL5 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### **ADAMTSL5 Antibody - Images**




Western blot analysis of ADAMTSL5 in human skeletal muscle tissue lysate with ADAMTSL5 antibody at  $1 \mu g/mL$ .



Immunohistochemistry of ADAMTSL5 in mouse skeletal muscle tissue with ADAMTSL5 antibody at 5  $\mu g/mL$ .





Immunofluorescence of ADAMTSL5 in mouse skeletal muscle tissue with ADAMTSL5 antibody at 20 µg/mL.

## **ADAMTSL5 Antibody - Background**

ADAMTSL5 Antibody: ADAMTSL5 belongs to a large superfamily containing 20 ADAMTS proteases and at least eight ADAMTS-like proteins. ADAMTS proteases are secreted enzymes with a conserved organization that includes a metalloprotease domain and an ancillary domain containing one or more thrombospondin type 1 repeats (TSR). The ADAMTS-like subfamily comprises proteins homologous to the ADAMTS ancillary domains but lacking the protease domain and hence lacking catalytic activity. The exact role of ADAMTSL5 is currently unknown, but other ADAMTS-like proteins appear to have regulatory roles in the extracellular matrix.

# **ADAMTSL5 Antibody - References**

Jones GC and Riley GP. ADAMTS proteinases: a multi-domain, multi-functional family with roles in extracellular matrix turnover and arthritis. Arth. Res. and Ther.2005; 7:160-9. Apte SS. A disintegrin-like and metalloprotease (reprolysin-type) with thrombospondin type 1 motif (ADAMTS) superfamily: functions and mechanisms. J. Biol. Chem.2009; 284:31493-7.