

MOSPD1 Antibody

Catalog # ASC11634

Specification

MOSPD1 Antibody - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW

Application Notes

WB, IHC-P, IF, E <u>Q9UJG1</u> <u>NP_062456</u>, <u>9506543</u> Human, Mouse, Rat Rabbit Polyclonal IgG Predicted: 23 kDa

Observed: 25 kDa KDa MOSPD1 Antibody can be used for detection of MOSPD1 by Western blot at 1 µg/mL.

MOSPD1 Antibody - Additional Information

Gene ID Target/Specificity MOSPD1;

Reconstitution & Storage

MOSPD1 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.

Precautions MOSPD1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

56180

MOSPD1 Antibody - Protein Information

Name MOSPD1

Function

Plays a role in differentiation and/or proliferation of mesenchymal stem cells. Proposed to be involved in epithelial-to- mesenchymal transition (EMT). However, another study suggests that it is not required for EMT or stem cell self-renewal and acts during later stages of differentiation.

Cellular Location

Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q8VEL0}; Multi-pass membrane protein. Golgi apparatus membrane {ECO:0000250|UniProtKB:Q8VEL0}; Multi-pass membrane protein

MOSPD1 Antibody - Protocols



Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

MOSPD1 Antibody - Images



Western blot analysis of MOSPD1 in human brain tissue lysate with MOSPD1 antibody at 1 μ g/mL in (A) the absence and (B) the presence of blocking peptide.



Immunohistochemistry of MOSPD1 in mouse testis tissue with MOSPD1 antibody at 2.5 µg/ml.





Immunofluorescence of MOSPD1 in mouse testis tissue with MOSPD1 antibody at 20 µg/ml.

MOSPD1 Antibody - Background

MOSPD1 Antibody: The Motile sperm domain-containing protein 1 (MOSPD1) is part of a family of proteins defined by the presence of a major sperm protein (MSP) domain and two transmembrane domains. MOSPD1 codes for a small protein that localizes to the endoplasmic reticulum (ER) and the Golgi apparatus and has been suggested to play a role in the developmental regulation at the switch between mesenchymal and epithelial cells.

MOSPD1 Antibody - References

Pall GS, Wallis J, Axton R, et al. A novel transmembrane MSP-containing protein that plays a role in the right ventricle development. Genomics 2004; 84:1051-9.

Thaler R, Rumpler M, Spitzer S, et al. Mospd1, a new player in mesenchymal versus epidermal cell differentiation. J. Cell Physiol. 2011; 226:2505-15.