

# Thyroid Hormone Receptor Antibody

Thyroid Hormone Receptor Antibody, Clone H43 Catalog # ASM10686

# Specification

# **Thyroid Hormone Receptor Antibody - Product Information**

Primary Accession Other Accession Host Clonality **Target/Specificity** Thyroid Hormone Receptor

<u>P10827</u> <u>NM\_001190918.2</u> Mouse Monoclonal

# **Other Names**

ERBA ALPHA antibody, ERBA beta antibody, ERBA1 antibody, ERBA2 antibody, NR1A1 antibody, NR1A2 antibody, THR1 antibody, THRA antibody THRA1 antibody, THRA2 antibody, THRB antibody, THRB1 antibody, THRB2 antibody, Thyroid hormone receptor alpha antibody, Thyroid hormone receptor beta antibody

#### Immunogen

Synthetic peptide from the full length Human Thyroid hormone receptor protein

**Purification** Protein A Purified

 Storage
 -20°C

 Storage Buffer
 PBS pH 7.4, 50% glycerol, 0.09% Sodium azide \*Storage buffer may change when conjugated

Shipping Temperature Certificate of Analysis

A 1:500 dilution of SMC-561 was sufficient for detection of Pan-Thyroid hormone receptor in 10 ug of Hep G2 Human Hepatoblastoma Cell lysate by ECL immunoblot analysis using goat anti-mouse IgG:HRP as the secondary antibody.

Blue Ice or 4°C

Cellular Localization Nuclear

# **Thyroid Hormone Receptor Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety




# <u>Cell Culture</u>


**Thyroid Hormone Receptor Antibody - Images** 




Immunohistochemistry analysis using Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody, Clone H43 (ASM10686). Tissue: Thyroid. Species: Mouse. Primary Antibody: Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody (ASM10686) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 7.5X.



Immunohistochemistry analysis using Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody, Clone H43 (ASM10686). Tissue: Thyroid Cancer. Species: Human. Primary Antibody: Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody (ASM10686) at 1:100 for Overnight at 4C, then 30 min at 37C. Secondary Antibody: Goat Anti-Mouse IgG (H+L): FITC for 45 min at 37C. Counterstain: DAPI for 3 min at RT. Magnification: 4X.



Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody, Clone H43 (ASM10686). Tissue: Differentiated SH-SY5Y. Species: Human. Primary Antibody: Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody (ASM10686) at 1:250. Secondary Antibody: AlexaFluor 488. Counterstain: phalloidin (Alexa 647, red), beta tubulin (Anti-beta III Tubulin Ab, Alexa 555, magenta) Hoechst (blue). (A) Phalloidin (B) Anti-beta III Tubulin Ab. (C) Thyroid Hormone Receptor Antibody. (D) Hoechst (E) Composite.



Western Blot analysis of Human Hep G2 Hepatoblastoma Cell lysate showing detection of Thyroid Hormone Receptor protein using Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody, Clone H43 (ASM10686). Load: 10 ug. Primary Antibody: Mouse Anti-Thyroid Hormone Receptor Monoclonal Antibody (ASM10686) at 1:500 for 2 hours at RT with shaking. Secondary Antibody: Goat anti-mouse IgG:HRP at 1:4000 for 1 hour at RT with shaking. Color Development: Chemiluminescent for HRP (Moss) for 5 min in RT. Other Band(s): Higher molceular weight bands could be due to PTMs.

# Thyroid Hormone Receptor Antibody - Background

Thryoid hormone receptors are ligand dependent members of the steroid/retinoic acid superfamily of transcription factors. Thyroid hormones affect metabolic processes, growth and development.

**Thyroid Hormone Receptor Antibody - References**