

Dog IgG Biotin

Catalog # ASR1099

Specification

Dog IgG Biotin - Product Information

Description Conjugate Physical State Host Isotype Buffer

Species of Origin Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

DOG IgG whole molecule Biotin conjugated Biotin Lyophilized IgG 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Dog 1.0 mL

Restore with deionized water (or equivalent)

10 mg/mL Bovine Serum Albumin (BSA) -Immunoglobulin and Protease free 0.01% (w/v) Sodium Azide

Dog IgG Biotin - Additional Information

Shipping Condition Ambient

Purity

This product was prepared from normal serum delipidation, salt fractionation, ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Dog IgG and anti-Dog Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note


This product is for research use only and is not intended for therapeutic or diagnostic applications.

Dog IgG Biotin - Protein Information

Dog IgG Biotin - Protocols

Provided below are standard protocols that you may find useful for product applications.

Western Blot





• Blocking Peptides

- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Dog IgG Biotin - Images