

Donkey IgG F(ab')2 Biotin

Catalog # ASR1308

Specification

Donkey IgG F(ab')2 Biotin - Product Information

Description DONKEY IgG F(ab')2 fragment Biotin

Conjugated
Conjugate
Physical State
Host Isotype

Conjugated
Biotin
Lyophilized
Lyophilized
IgG F(ab')2

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Species of Origin
Reconstitution Volume

1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Donkey IgG F(ab')2 Biotin - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from normal serum delipidation, salt fractionation, ion exchange chromatography followed by pepsin digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey IgG, anti-Donkey IgG F(ab')2 and anti-Donkey Serum. No reaction was observed against anti-Donkey IgG F(c) or anti-Pepsin.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Donkey IgG F(ab')2 Biotin - Protein Information

Donkey IgG F(ab')2 Biotin - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999



- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Donkey IgG F(ab')2 Biotin - Images