

Anti-Rabbit IgG (H&L) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1358

Specification

Anti-Rabbit IgG (H&L) Secondary Antibody - Product Information

Description Anti-RABBIT IgG (H&L) (GOAT) Antibody

Host Goat

Conjugate Unconjugated

Target Species
Clonality
Application
Rabbit
Polyclonal
1,10,15,

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000 Lyophilized

Physical State
Host Isotype
Antiserum
Target Isotype
IgG (H&L)

Buffer 0.01 M Sodium Phosphate, 0.15 M Sodium

Chloride, pH 7.2

Immunogen Rabbit IgG whole molecule

Reconstitution Volume 2.0 m

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Rabbit IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

Anti-Rabbit secondary antibody was prepared from monospecific antiserum by delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against Rabbit IgG and Rabbit Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Rabbit IgG (H&L) Secondary Antibody - Protein Information



Anti-Rabbit IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Rabbit IgG (H&L) Secondary Antibody - Images

Anti-Rabbit IgG (H&L) Secondary Antibody - Background

Rabbit IgG whole molecule antibody generated in goat detects specifically Rabbit IgG whole molecule. This secondary antibody anti-Rabbit is ideal for investigators who routinely perform western blot, immunoprecipitation and more generally immunoassays.