

# Anti-Donkey IgG (H&L) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1442

### **Specification**

## Anti-Donkey IgG (H&L) Secondary Antibody - Product Information

Description Anti-DONKEY IgG (H&L) (GOAT) Antibody

Host Goat

Conjugate
Target Species
Clonality
Application

Unconjugated
Donkey
Polyclonal
,1,10,15,

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Donkey IgG whole molecule

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

# Anti-Donkey IgG (H&L) Secondary Antibody - Additional Information

### **Shipping Condition**

Wet Ice

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Donkey IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Donkey IgG and Donkey Serum.

### **Storage Condition**


Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

# Anti-Donkey IgG (H&L) Secondary Antibody - Protein Information

### Anti-Donkey IgG (H&L) Secondary Antibody - Protocols





Tel: 858.875.1900 Fax: 858.875.1999

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Donkey IgG (H&L) Secondary Antibody - Images