

Cat IgG F(ab')2 Biotin

Catalog # ASR1451

## Specification

# Cat IgG F(ab')2 Biotin - Product Information

Description

Conjugate Physical State Host Isotype Buffer

Species of Origin Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

CAT IgG F(ab')2 fragment Biotin conjugated Biotin Lyophilized IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Cat 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -Immunoglobulin and Protease free 0.01% (w/v) Sodium Azide

## Cat IgG F(ab')2 Biotin - Additional Information

Shipping Condition Ambient

### **Purity**

This product was prepared from normal serum delipidation, salt fractionation, ion exchange chromatography followed by pepsin digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Cat IgG, anti-Cat IgG F(ab')2 and anti-Cat Serum. No reaction was observed against anti-Cat IgG F(c) or anti-Pepsin.

### Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

# Cat IgG F(ab')2 Biotin - Protein Information

# Cat IgG F(ab')2 Biotin - Protocols

Provided below are standard protocols that you may find useful for product applications.



- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Cat IgG F(ab')2 Biotin - Images