

Anti-Dog Serum Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1525

Specification

Host Isotype

Anti-Dog Serum Secondary Antibody - Product Information

Description Anti-DOG SERUM (RABBIT) Antibody

Host Rabbit

Conjugate Unconjugated

Target Species
Clonality
Physical State
Dog
Polyclonal
Lyophilized

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Dog serum proteins

Reconstitution Volume 2.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Antiserum

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Dog Serum Secondary Antibody - Additional Information

Shipping Condition

Ambient

Purity

Anti-DOG SERUM was prepared from polyspecific antiserum by delipidation and defibrination of blood from rabbits immunized with the protein fraction of dog serum. Assay by immunoelectrophoresis resulted in multiple precipitin arcs against Dog Serum.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.


Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Dog Serum Secondary Antibody - Protein Information

Anti-Dog Serum Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.





• Western Blot

- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Dog Serum Secondary Antibody - Images

Anti-Dog Serum Secondary Antibody - Background

Anti-DOG SERUM antiserum is specific for the components found in canine serum. Dog serum antibody is suitable for use in veterinary research and biotechnology applications and the