

# Anti-Donkey IgG (H&L) Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1682

## **Specification**

# Anti-Donkey IgG (H&L) Secondary Antibody - Product Information

Description Anti-DONKEY IgG (H&L) (RABBIT) Antibody

Host Rabbit

Conjugate
Target Species
Clonality
Application

Unconjugated
Donkey
Polyclonal
WB, E, IC

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Donkey IgG whole molecule

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

# Anti-Donkey IgG (H&L) Secondary Antibody - Additional Information

## **Shipping Condition**

Wet Ice

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Donkey IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Donkey IgG, and Donkey Serum.

### **Storage Condition**


Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Anti-Donkey IgG (H&L) Secondary Antibody - Protein Information

# Anti-Donkey IgG (H&L) Secondary Antibody - Protocols





Tel: 858.875.1900 Fax: 858.875.1999

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Donkey IgG (H&L) Secondary Antibody - Images