

Anti-Ferret IgM (mu chain) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1732

Specification

Anti-Ferret IgM (mu chain) Secondary Antibody - Product Information

Description Anti-FERRET IgM (mu chain) (GOAT)

Antibody

Host Goat

Conjugate Unconjugated

Target Species Ferret
Clonality Polyclonal
Application ,1,10,15,

Application Note ELISA 1:2,000-1:10,000; Western Blot

1:500-1:2,000;Immunochemistry

1:200-1:1,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgM μ chain

Buffer 0.125 M Sodium Borate, 0.075 M Sodium

Chloride, 0.005 M EDTA, pH 8.0

Immunogen Ferret IgM mu heavy chain

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

Anti-Ferret IgM (mu chain) Secondary Antibody - Additional Information

Shipping Condition

Wet Ice

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Ferret IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Ferret IgM and Ferret Serum. No reaction was observed against Ferret IgG or Ferret IgA. Specificity was confirmed by ELISA at less than 1% cross reactivity against other Ferret heavy or light chain isotypes.

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Ferret IgM (mu chain) Secondary Antibody - Protein Information



Anti-Ferret IgM (mu chain) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Ferret IgM (mu chain) Secondary Antibody - Images