

Human IgM (myeloma) Fab μ Peroxidase

Catalog # ASR1742

Specification

Conjugate

Buffer

Stabilizer

Preservative

Physical State

Species of Origin

Reconstitution Volume

Reconstitution Buffer

Host Isotype

Human IgM (myeloma) Fab μ Peroxidase - Product Information

Description HUMAN IgM (myeloma) F(ab) μ fragment

Peroxidase conjugated Peroxidase (Horseradish)

Lyophilized

IgM

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Human 1.0 mL

Restore with deionized water (or

equivalent)

10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

None

Human IgM (myeloma) Fab μ Peroxidase - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by enzyme digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Human IgM, anti-Human IgG F(ab')2 and anti-Human Serum. No reaction was observed against anti-Human IgG F(c).

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Human IgM (myeloma) Fab μ Peroxidase - Protein Information

Human IgM (myeloma) Fab μ Peroxidase - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999



- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Human IgM (myeloma) Fab μ Peroxidase - Images